

Installation on Linux

To install UGENE on Linux:

- Download UGENE Linux installation package:



Installers:

- Download 32-bit [Universal](#) installer
- Download 64-bit [Universal](#) installer

Universal binary packages:

- Download 32-bit [Standard](#) or [Full](#) package
- Download 64-bit [Standard](#) or [Full](#) package
- Download 64-bit [NGS](#) package

- Set the file as executable:

```
chmod +x [name of the downloaded file]
```

- Launch the file and follow the Unipro Setup wizard.



Alternatively, to use UGENE without installing:



Installers:

- Download 32-bit [Universal](#) installer
- Download 64-bit [Universal](#) installer

Universal binary packages:

- Download 32-bit [Standard](#) or [Full](#) package
- Download 64-bit [Standard](#) or [Full](#) package
- Download 64-bit [NGS](#) package

- Unpack the archive. You can use this command:

```
tar -xf [name of the downloaded *.tar.gz file]
```

- Change the working directory to the unpacked UGENE directory:

```
cd [name of the unpacked directory]
```

- Launch the UGENE GUI version using the command:

```
./ugene -ui
```

or the command line version using the command:

```
./ugene
```



Several native packages for specific Linux distributions are also available. UGENE is a part of Ubuntu and Fedora Linux distributions. See the next chapter.

- [Native Installation on Ubuntu](#)
- [Native Installation on Fedora](#)