

Unipro UGENE Online User Manual

- [About Unipro](#)
- [About UGENE](#)
 - [Key Features](#)
 - [User Interface](#)
 - [High Performance Computing](#)
 - [Cooperation](#)
- [Download and Installation](#)
 - [System Requirements](#)
 - [UGENE Packages](#)
 - [Installation on Windows](#)
 - [Installation on Mac OS X](#)
 - [Installation on Linux](#)
 - [Native Installation on Ubuntu](#)
 - [Native Installation on Fedora](#)
- [Basic Functions](#)
 - [UGENE Terminology](#)
 - [UGENE Window Components](#)
 - [Welcome Page](#)
 - [Project View](#)
 - [Task View](#)
 - [Log View](#)
 - [Notifications](#)
 - [Main Menu Overview](#)
 - [Creating New Project](#)
 - [Creating Document](#)
 - [Opening Document](#)
 - [Opening for the First Time](#)
 - [Advanced Dialog Options](#)
 - [Opening Document Present in Project](#)
 - [Opening Several Documents](#)
 - [Opening Containing Folder](#)
 - [Exporting Documents](#)
 - [Locked Documents](#)
 - [Using Objects and Object Views](#)
 - [Exporting Objects](#)
 - [Exporting Sequences to Sequence Format](#)
 - [Exporting Sequences as Alignment](#)
 - [Exporting Alignment to Sequence Format](#)
 - [Exporting Alignment to Other Formats](#)
 - [Exporting Nucleic Alignment to Amino Translation](#)
 - [Export Sequences Associated with Annotation](#)
 - [Using Bookmarks](#)
 - [Exporting Project](#)
 - [Options Panel](#)
 - [Adding and Removing Plugins](#)
 - [Searching NCBI Genbank](#)
 - [Fetching Data from Remote Database](#)
 - [UGENE Application Settings](#)
 - [General](#)
 - [Resources](#)
 - [Network](#)
 - [File Format](#)
 - [Directories](#)
 - [Logging](#)
 - [Alignment Color Scheme](#)
 - [External Tools Settings](#)
 - [Genome Aligner](#)
 - [Workflow Designer Settings](#)
 - [OpenCL](#)
- [Sequence View](#)
 - [Sequence View Components](#)
 - [Global Actions](#)
 - [Sequence Toolbar](#)
 - [Sequence Overview](#)
 - [Sequence Zoom View](#)
 - [Managing Zoom View Rows](#)
 - [Sequence Details View](#)
 - [Information about Sequence](#)
 - [Manipulating Sequence](#)
 - [Going To Position](#)
 - [Toggling Views](#)
 - [Capturing Screenshot](#)
 - [Zooming Sequence](#)
 - [Creating New Ruler](#)
 - [Selecting Amino Translation](#)
 - [Showing and Hiding Translations](#)
 - [Selecting Sequence](#)
 - [Copying Sequence](#)

- Search in Sequence
 - Load Patterns from File
 - Search Algorithm
 - Search in
 - Other Settings
 - Annotations Settings
 - Editing Sequence
 - Exporting Selected Sequence Region
 - Exporting Sequence of Selected Annotations
 - Locking and Synchronize Ranges of Several Sequences
 - Multiple Sequence Opening
- Annotations Editor
 - Automatic Annotations Highlighting
 - The "db_xref" Qualifier
- Manipulating Annotations
 - Creating Annotation
 - Selecting Annotations
 - Editing Annotation
 - Highlighting Annotations
 - Annotations Color
 - Annotations Visibility
 - Show on Translation
 - Captions on Annotations
 - Creating and Editing Qualifier
 - Adding Column for Qualifier
 - Copying Qualifier Text
 - Finding Qualifier
 - Deleting Annotations and Qualifiers
 - Importing Annotations from CSV
 - Exporting Annotations
- Sequence View Extensions
 - Circular Viewer
 - Circular View Settings
 - 3D Structure Viewer
 - Opening 3D Structure Viewer
 - Changing 3D Structure Appearance
 - Selecting Render Style
 - Selecting Coloring Scheme
 - Calculating Molecular Surface
 - Selecting Background Color
 - Selecting Detail Level
 - Enabling Anaglyph View
 - Moving, Zooming and Spinning 3D Structure
 - Selecting Sequence Region
 - Selecting Models to Display
 - Structural Alignment
 - Exporting 3D Structure Image
 - Working with Several 3D Structures Views
 - Chromatogram Viewer
 - Exporting Chromatogram Data
 - Viewing Two Chromatograms Simultaneously
 - DNA/RNA Graphs Package
 - Description of Graphs
 - Graph Settings
 - Saving Graph Cutoffs as Annotations
 - Dotplot
 - Creating Dotplot
 - Navigating in Dotplot
 - Zooming to Selected Region
 - Selecting Repeat
 - Interpreting Dotplot: Identifying Matches, Mutations, Inversions, etc.
 - Editing Parameters
 - Filtering Results
 - Saving Dotplot as Image
 - Saving and Loading Dotplot
 - Building Dotplot for Currently Opened Sequence
 - Comparing Several Dotplots
- Alignment Editor
 - Overview
 - Alignment Editor Features
 - Alignment Editor Components
 - Navigation
 - Coloring Schemes
 - Creating Custom Color Scheme
 - Highlighting Alignment
 - Zooming and Fonts
 - Searching for Pattern
 - Consensus
 - Export Consensus

- Alignment Overview
- Working with Alignment
 - Undo/Redo Framework
 - Selecting Subalignment
 - Moving Subalignment
 - Editing Alignment
 - Removing Selection
 - Filling Selection with Gaps
 - Replacing with Reverse-Complement
 - Replacing with Reverse
 - Replacing with Complement
 - Removing Columns of Gaps
 - Removing All Gaps
 - Saving Alignment
 - Aligning Sequences
 - Pairwise Aligning
 - Working with Sequences List
 - Adding New Sequences
 - Copying Sequences
 - Sorting Sequences
 - Shifting Sequences
 - Collapsing Rows
 - Exporting in Alignment
 - Extracting Selected as MSA
 - Exporting Sequence from Alignment
 - Exporting Alignment as Image
- Statistics
 - Distance Matrix
 - Grid Profile
- Advanced Functions
 - Building HMM Profile
- Building Phylogenetic Tree
 - PHYLIP Neighbor-Joining
 - MrBayes
 - PhyML Maximum Likelihood
- Assembly Browser
 - Import BAM/SAM File
 - Import ACE File
 - Browsing and Zooming Assembly
 - Opening Assembler Browser Window
 - Assembly Browser Window
 - Assembly Browser Window Components
 - Reads Area Description
 - Assembly Overview Description
 - Ruler and Coverage Graph Description
 - Go to Position in Assembly
 - Using Bookmarks for Navigation in Assembly Data
 - Getting Information About Read
 - Short Reads Visualization
 - Reads Highlighting
 - Reads Shadowing
 - Associating Reference Sequence
 - Associating Variations
 - Consensus Sequence
 - Exporting
 - Exporting Reads
 - Exporting Visible Reads
 - Exporting Coverage
 - Exporting Consensus
 - Exporting Consensus Variations
 - Exporting Assembly as Image
 - Options Panel in Assembly Browser
 - Navigation in Assembly Browser
 - Assembly Statistics
 - Assembly Browser Settings
 - Assembly Browser Hotkeys
 - Assembly Overview Hotkeys
 - Reads Area Hotkeys
- Phylogenetic Tree Viewer
 - Tree Settings
 - Selecting Tree Layout and View
 - Modifying Labels Appearance
 - Showing/Hiding Labels
 - Aligning Labels
 - Changing Labels Formatting
 - Adjusting Branch Settings
 - Zooming Tree
 - Working with Clade
 - Selecting Clade

- Collapsing/Expanding Branches
 - Swapping Siblings
 - Zooming Clade
 - Adjusting Clade Settings
 - Changing Root
- Exporting Tree Image
- Printing Tree
- Extensions
 - Workflow Designer
 - DNA Annotator
 - DNA Flexibility
 - Configuring Dialog Settings
 - Result Annotations
 - DNA Statistics
 - DNA Generator
 - ORF Marker
 - Remote BLAST
 - Exporting BLAST Results to Alignment
 - Fetching Sequences from Remote Database
 - BLAST/BLAST+
 - Creating Database
 - Making Request to Database
 - Fetching Sequences from Local BLAST Database
 - Repeat Finder
 - Repeats Finding
 - Tandem Repeats Finding
 - Tandem Repeats Search Result
 - Restriction Analysis
 - Selecting Restriction Enzymes
 - Using Custom File with Enzymes
 - Filtering by Number of Hits
 - Excluding Region
 - Circular Molecule
 - Results
 - Molecular Cloning in silico
 - Digesting into Fragments
 - Creating Fragment
 - Constructing Molecule
 - Available Fragments
 - Fragments of the New Molecule
 - Changing Fragments Order in the New Molecule
 - Removing Fragment from the New Molecule
 - Editing Fragment Overhangs
 - Reverse Complement a Fragment
 - Other Constuction Options
 - Output
 - Creating PCR Product
 - In Silico PCR
 - Primers Details
 - Primer Library
 - Secondary Structure Prediction
 - SITECON
 - SITECON Searching Transcription Factors Binding Sites
 - Types of SITECON Models
 - Eukaryotic
 - Prokaryotic
 - Building SITECON Model
 - Smith-Waterman Search
 - HMM2
 - Building HMM Model (HMM Build)
 - Calibrating HMM Model (HMM Calibrate)
 - Searching Sequence Using HMM Profile (HMM Search)
 - HMM3
 - Building HMM Model (HMM3 Build)
 - Searching Sequence Using HMM Profile (HMM3 Search)
 - Searching Sequence Against Sequence Database (Phmmmer Search)
 - uMUSCLE
 - MUSCLE Aligning
 - Aligning Profile to Profile with MUSCLE
 - Aligning Sequences to Profile with MUSCLE
 - ClustalW
 - MAFFT
 - T-Coffee
 - Bowtie
 - Bowtie Aligning Short Reads
 - Building Index for Bowtie
 - Bowtie 2
 - Bowtie 2 Aligning Short Reads
 - Building Index for Bowtie 2

- BWA
 - [Aligning Short Reads with BWA](#)
 - [Building Index for BWA](#)
- BWA-SW
 - [Aligning Short Reads with BWA-SW](#)
 - [Building Index for BWA-SW](#)
- BWA-MEM
 - [Aligning Short Reads with BWA-MEM](#)
 - [Building Index for BWA-MEM](#)
- UGENE Genome Aligner
 - [Aligning Short Reads with UGENE Genome Aligner](#)
 - [Building Index for UGENE Genome Aligner](#)
 - [Converting UGENE Assembly Database to SAM Format](#)
- CAP3
- SPAdes
- Weight Matrix
 - [Searching JASPAR Database](#)
 - [Building New Matrix](#)
- Primer3
 - [RTPCR Primer Design](#)
- [Spliced Alignment \(mRNA to genomic\)](#)
- External Tools
 - [Configuring External Tool](#)
- [Query Designer](#)
- [Plasmid Auto Annotation](#)
- [ClustalO](#)
- [Kalign Aligning](#)
- [DAS Annotating](#)
- Expert Discovery
 - [Loading Sequences](#)
 - [Mapping Sequences](#)
 - [Markup Sequences](#)
 - [Creating Signals](#)
 - [Generating Signals](#)
 - [Complex Signals Recognition on a Sequence](#)
- Shared Database
 - [Configuring Database](#)
 - [Connecting to a Shared Database](#)
 - [Adding Data to the Database](#)
 - [Database in the Project](#)
 - [Deleting Data](#)
 - [Drag'n'drop in the Database](#)
 - [Exporting Objects from the Database](#)
- UGENE Public Storage
- UGENE Command Line Interface
 - [CLI Options](#)
 - [CLI Predefined Tasks](#)
 - [Format Converting Sequences](#)
 - [Converting MSA](#)
 - [Extracting Sequence](#)
 - [Finding ORFs](#)
 - [Finding Repeats](#)
 - [Finding Pattern Using Smith-Waterman Algorithm](#)
 - [Adding Phred Quality Scores to Sequence](#)
 - [Local BLAST Search](#)
 - [Local BLAST+ Search](#)
 - [Remote NCBI BLAST and CDD Requests](#)
 - [Annotating Sequence with UQL Schema](#)
 - [Building Profile HMM Using HMMER2](#)
 - [Searching HMM Signals Using HMMER2](#)
 - [Aligning with MUSCLE](#)
 - [Aligning with ClustalW](#)
 - [Aligning with ClustalO](#)
 - [Aligning with Kalign](#)
 - [Aligning with MAFFT](#)
 - [Aligning with T-Coffee](#)
 - [Building PFM](#)
 - [Searching for TFBS with PFM](#)
 - [Building PWM](#)
 - [Searching for TFBS with Weight Matrices](#)
 - [Building Statistical Profile for SITECON](#)
 - [Searching for TFBS with SITECON](#)
 - [Fetching Sequence from Remote Database](#)
 - [Annotating with DAS](#)
 - [Gene-by-Gene Report](#)
 - [Reverse-Complement Converting Sequences](#)
 - [Variants Calling](#)
 - [Generating DNA Sequence](#)
- [Creating Custom CLI Tasks](#)

- APPENDIXES
 - Appendix A. Supported File Formats
 - Specific File Formats
 - UGENE Native File Formats
 - Other File Formats
- Tutorials
 - Using BioMart with UGENE
 - Environment requirements
 - Installing UGENE extension on Mozilla Firefox
 - Opening data found using BioMart in UGENE
 - Opening BioMart data in UGENE by ID
 - Opening selected data in UGENE